

## Technical Data Sheet VLF-150 Filter Fleece

### Product Description / Use:

MOY VLF-150 Filter Fleece is a non-woven geotextile made of UV stabilized polypropylene fibers, with a surface weight of 155 g/m<sup>2</sup> for filtering and separating purposes on extensive and semi-intensive green roofs. It is designed to filter sediments and fine particles out of water flowing into the drainage layer.

### Benefits:

- Long lasting > resistant to both acids and alkalis
- High load capacity/high tensile strength > withstands heavy point loading
- Excellent permeability
- Simple installation > few tools needed, easy to cut

### Application Areas:

MOY VLF-150 fabrics have many uses on vegetated roofs, but their main functions are filtering run off, mechanical protection, and separation of incompatible materials. MOY VLF-150 geotextiles provide excellent filtration performance without becoming clogged.



### Technical Specification:

Technical Specification		
Properties	Unit	Value
Colour	-	Grey
Surface Weight	g/m <sup>2</sup>	155
Thickness	mm	1.2
Tensile strength MD	kN/m	12
Tensile strength CMD	kN/m	12
Elongation MD	%	90
Elongation CMD	%	75
CBR Puncture	N	1800
Cone drop test	mm	20
Characteristic opening size O <sub>90</sub>	mm	0.1
Water permeability normal to the plane V <sub>LH50</sub>	l/m <sup>2</sup> s	105

### Installation:

MOY VLF-150 is loose laid over the drainage board and overlapped by 100mm. At green roof edges dress fleece up against the inner face of the metal trims. The fleece will then envelope the growing medium. At inspection chambers, install a skirting piece fitted tightly to the body of the inspection chamber, in order to prevent fine particles washing into roof drains. Must be covered within 1 month of installation.

### Delivery form:

Rolls: 2m x 100m (200 m<sup>2</sup>/roll) / Weight: 36 kg.

### Storage:

Stored in the original package, in vertical position and under cool and dry conditions between temperatures of +5 °C and +35 °C. They must be protected from direct sunlight, rain, snow and ice.

MOY Materials Ltd has taken care to ensure that the information provided in the literature is correct and up to date. However, it is not intended to form any part of a contract or provide a guarantee. Purchasers/intending purchasers should contact MOY Technical to check whether there have been any changes to the information since publication of the literature. Please ensure you have read the hazard labels and material safety data sheet before using this product.

