




*your OEM partner  
for roof solutions*


# PRODUCT RANGE




GREEN ROOF SYSTEMS



**Extensive - 20**  
Extensive green roof



**Extensive - 25 FLL**  
Extensive green roof



**Extensive - 25 LowC**  
Extensive green roof  
runoff reduction



**Semi-intensive - 40**  
Semi intensive green roof




**Semi-intensive - 40 LowC**  
Semi intensive green roof  
detention and retention



**Intensive - 60**  
Intensive green roof




**Blue roof extensive - 60**  
Blue roof




**Blue roof extensive - 120**  
Blue roof

GREEN ROOF SYSTEMS




**Blue roof semi-intensive**  
**120**  
Blue roof




**Individual system**  
**build-ups on demand**


PEDESTRIAN AND ROAD TRAFFIC




**Pedestrian - 8**



**Pedestrian - 20**





**Road - 25**



**Road - 40**

PEDESTRIAN AND ROAD TRAFFIC




Individual system  
build-ups on demand


DRAINAGE BOARDS




QSDrain-8



QSDrain-20




QSDrain-25




QSDrain-25 Free  
Without water storage  
for road traffic




## DRAINAGE BOARDS




**QSDrain-25 LowC**  
Runoff reduction




**QSDrain-25 Strong**  
Increased load bearing  
for heavy road traffic




**QSDrain-40**




**QSDrain-40 Free**  
Without water storage  
for road traffic



**QSDrain-40 LowC**  
Detention and retention



**QSDrain-60**



**QSDrain-60 Free**  
Without water storage  
for road traffic



**Your logo, CE-Certificate, DoP**  
for QSDrain 25 / 40 / 60

GEOTEXTILES, ROOT PROTECTION, SKID LAYERS



**GT-F filter layer**  
110/150/200/250/300 gr



**GT-PWR Protection and water storage layer**  
200/300/500/800/1000 gr



**QSL-PE skid layer**  
200  $\mu$



**QRF-PE root protection layer**  
400/500  $\mu$   
tested CEN/TS 14416:2014




**Individual thicknesses and weights are available**



**Your logo, CE-Certificate, DoP for geotextiles**

**BOXES**




**QuickBox inspection box**




**QuickBox**  
Extension element 5/10 cm




**QuickBox-B**  
Base plate 1 cm




**QuickBox-C**  
Cover



**QuickBox-W50 / W100**  
Side wall 5/10 cm



**QuickBox-G**  
Mesh terrace grid



**Inspection box made of metal**  
Available on demand



**Your logo**  
for QuickBox or inspection  
box made of metal


CHANNELS, DRAINAGE CHANNEL, BLUE ROOF ACCESSORY



**Terrace channel base - standard**  
 Width: 150/200/250  
 Height: 42/50 mm  
 Length: 100/200 cm




**Terrace channel base - Z-profile HQ**  
 Width: 150/200/250  
 Height: 42/50 mm  
 Length: 100/200 cm



**Mesh grid galvanised 30/10**  
 Width: 150/200/250 mm



**Stainless steel cover for channel, satinated**  
 Width: 150/200/250 mm




**Height adjustment with Yggdrasil pedestal**



**Drainage channel**




**Individual channel versions are available**




**Blue roof plug**  
 Project calculation on demand



**TELESCOPIC GRAVEL EDGES**

**Gravel edge 3-times folded**  
6/9; 8/10; 8/12; 14/22



**Gravel edge 5-times folded**  
6/9; 8/10; 8/12; 14/22



**Gravel edge 5-times folded - telescopic version**  
6/9; 8/10; 8/12; 14/22



**Corner element**



**Frame**



**Different dimensions  
on demand**



**Your logo**  
for gravel edge

LAWN EDGES, CONCRETE KERBS



**Lawn edge galvanised**



**Lawn edge galvanised curvable**



**Concrete element**  
Height:  
30 / 40 / 50 / 60 / 80 / 100 cm




**Concrete element corner**  
Height:  
30 / 40 / 50 / 60 / 80 / 100 cm

PEDESTAL




**Pedestal - fix height**  
7/14/16/26 mm




**Yggdrasil height adjustable pedestal**  
19-25 / 28-36 / 36-51 / 52-82  
/ 82-135 / 133-225 mm

## PEDESTAL



**Yggdrasil height adjustable pedestal**  
individual 189-1083 mm



**Yggdrasil self levelling head**



**Yggdrasil tile spacer**  
3/5 mm




**Yggdrasil batten holder**



**Yggdrasil leveling shim**  
1/2 mm



**Yggdrasil turning tool**



**Yggdrasil wall spacer**



**Your logo**  
for Yggdrasil pedestal

TILE SPACERS



**Tile spacer black**  
3/5/10 mm



**Tile spacer transparent**  
3/5/10 mm



**Tile spacer with base plate black**  
3/5 mm




**Tile spacer with base plate grey**  
3/5 mm

SAFETY RAIL SYSTEM



**Railing - straight**  
EN 14122 or EN 13374



**Railing - 30 degree**  
EN 14122

**SAFETY RAIL SYSTEM**



**Railing - foldable**  
EN 14122



**Certificate  
DoP**

**Your certificate, DoP**  
for safety rail system

**FALL PROTECTION**



**Fall protection Knauf  
SafetyPro greenSec  
ballasted EN795**  
Anchor point and wire an-  
chor lifeline system for green  
roofs and gravel roofs



**Fall protection Knauf  
SafetyPro fix - fixed EN795**  
for concrete / wood  
trapezoidal sheet  
in different heights



**Planning service**



ADDITIONAL PRODUCT RANGE




**Solarholder**  
ballasted




**Planters**  
indoor / outdoor



**Pitched green roof products**




**Composite water treating products, pools, pool accessories**



SERVICES



**Wind load calculation**




**Roof protection planning**

SERVICES



**Blue roof calculations**




**Runoff and “C”-value calculation**




**Solar roof planning**




**Water storage and -drainage calculation**



**Roof load calculation**



**BIM programming**  
for your products and services



**On demand calculations**  
for your projects



**Packaging and pallet labels with your design**  
with your design

CONTACT



**Peter CSABINA**  
+36 30 445 9438  
peter.csabina@qsd2.com



**Nisrin HASSAN**  
+36 70 322 3158  
nisrin.hassan@qsd2.com



**Maria LAPINCS**  
+36 70 322 3328  
maria.lapincs@qsd2.com



**Jörg KAPP**  
+49 1515 744 7520  
+43 664 492 6784  
joerg.kapp@qsd2.com



COMPANY DETAILS



qsd2 Kft.  
H-9028 Győr / Hungary  
Serfőződombi dűlő 3.  
EU VAT: HU28950183



**Szilard CSIZMADIA**  
+49 1515 746 9675  
+36 70 526 2482  
szilard.csizmadia@qsd2.com